

Summary

Conservation Status

Distribution

Image

Comprehensive

New Search

**Comprehensive Report:** Record 1 of 1 selected.

&lt;&lt; Previous | Next &gt;&gt;

[See All Search Results](#) [View Glossary](#)***Pimephales promelas*** - Rafinesque, 1820

Fathead Minnow

Unique Identifier: AFCJB32020

Informal Taxonomy: Animals, Vertebrates - Fishes

- Bony Fishes - Minnows and Carps

[Search for Images on Google](#)

| Kingdom  | Phylum   | Class          | Order         | Family     | Genus      |
|----------|----------|----------------|---------------|------------|------------|
| Animalia | Craniata | Actinopterygii | Cypriniformes | Cyprinidae | Pimephales |

**Genus Size:** B - Very small genus (2-5 species)**Concept Reference:** Robins, C. R., et al. 1991. Common and scientific names of fishes from the United States and Canada. American Fisheries Society, Special Publishing 20. 183 pp.**Concept Reference Code:** B91ROB01NAUS**Name Used in Concept Reference:** *Pimephales promelas***Taxonomic Comments:** NOR chromosomal data support monophyly of the four extant species of PIMEPHALES and suggest that the genus PIMEPHALES belongs in a monophyletic assemblage with, among others, the cyprinid genera CYPRINELLA and OPSOPOEODUS (Li and Gold 1991); Coburn and Cavender (in press) also indicated that these three genera are phylogenetically closely related.**Conservation Status****NatureServe Status****Global Status:** G5**Global Status Last Reviewed:** 17Sep1996**Global Status Last Changed:** 17Sep1996**Rounded Global Status:** G5**Reasons:**

Widespread in North America; inhabits a variety of aquatic habitats, and tolerant of high temperatures, turbidity, and low oxygen.

**Nation:** United States**National Status:**

N5

**Nation:** Canada**National Status:**

N5

**U.S. & Canada State/Province Status**

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| United States | Alabama (SNA), Arizona (SNA), Arkansas (S4), California (SNA), Colorado (S5), Connecticut (SNA), Delaware (SNA), Georgia (SNA), Idaho (SNA), Illinois (S5), Indiana (S4), Iowa (S5), Kansas (S5), Kentucky (S4S5), Louisiana (S4), Maine (SU), Maryland (SNA), Massachusetts (SNA), Michigan (S5), Minnesota (SNR), Mississippi (SNA), Missouri (SNR), Montana (S4S5), Navajo Nation (SNA), Nebraska (S5), Nevada (SNA), New Hampshire (SNA), New Mexico (SNA), New York (S5), North Carolina (SNA), North Dakota (SNR), Oklahoma (S5), Oregon (SNA), Pennsylvania (S4), South Dakota (S5), Tennessee (SNA), Texas (S5), Utah (SNA), Vermont (S4), Virginia (S4), Washington (SNA), West Virginia (S4), Wisconsin (S4), Wyoming (S5) |
| Canada        | Alberta (S5), British Columbia (SNA), Manitoba (S5), Northwest Territories (SNR), Ontario (S5), Quebec (S5), Saskatchewan (S5)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Other Statuses

## NatureServe Conservation Status Factors

**Global Abundance:** FH

**Estimated Number of Element Occurrences:** DE

**Global Short Term Trend:** E


**Global Protection:** DE

**Degree of Threat:** D

---

## Distribution

### U.S. States and Canadian Provinces



**Endemism:** occurs (regularly, as a native taxon) in multiple nations

**U.S. & Canada State/Province Distribution**


|               |                                                                                                                                                                                |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| United States | AL, AR, AZ, CA, CO, CT, DE, GA, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NM, NN, NV, NY, OK, OR, PA, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY |
| Canada        | AB, BC, MB, NT, ON, QC, SK                                                                                                                                                     |

**Range Map**

No map available.

**Global Range Comments:** Throughout much of North America, from Alberta and Northwest Territories to Quebec and New Brunswick, south to Alabama, Texas, northern Mexico (Chihuahua), and New Mexico; introduced in Colorado River drainage (Arizona and New Mexico), Mobile Bay drainage (Alabama), and elsewhere, through use as bait fish; most common in Great Plains, generally absent from mountains, absent on Atlantic Slope south of Delaware River; common over much of range (Page and Burr 1991).

**U.S. Distribution by Watershed (based on multiple information sources) ?**



## Economic Attributes

**Economic Comments:** Popular bait fish; one of the 3 most widely cultured bait species (Sublette et al. 1990). A strain referred to as "rosy-red" minnow has been developed primarily for the pet trade (Page and Burr 1991). Has been used in carcinogenesis testing (Metcalf 1989).

## Management Summary

## Ecology & Life History

**Short General Description:** A small fish (minnow).

**Reproduction Comments:** Spawns in spring and summer. Eggs guarded by male, hatch in 4-6 days at 23-30 C. Sexually mature at age 0-III, at older age in north than in south. Most adults die after spawning.

### Ecology Comments

Schooling species.

**Habitat Type:** Freshwater

**Non-Migrant:** N

**Locally Migrant:** N

**Long Distance Migrant:** N

**Riverine Habitat(s):** CREEK, Low gradient, MEDIUM RIVER, Moderate gradient, Pool

**Lacustrine Habitat(s):** Shallow water

**Special Habitat Factors:** Benthic

**Habitat Comments:** Lakes, ponds, headwaters, creeks, small rivers, ditches, reservoirs, residual pools of intermittent streams (where sometimes very abundant); usually in sluggish or still water with abundant floating and submerged vegetation; tolerant of high temperature, turbidity, low oxygen, and high salinity. Adapts well to pond culture. Eggs are laid on underside of object in quiet water in nest guarded by male. Larvae collected in shoreline drift in upper Colorado River (where introduced).

**Adult Food Habits:** Herbivore, Invertivore

**Immature Food Habits:** Herbivore, Invertivore

**Food Comments:** Feeds opportunistically in soft bottom mud; eats algae and other plants, insects, small crustaceans, and other invertebrates (Becker 1983, Sublette et al. 1990).

**Length:** 10 centimeters

---

## Population/Occurrence Delineation

**Group Name:** SMALL CYPRINIDS

**Use Class:** Not applicable

**Minimum Criteria for an Occurrence:** Occurrences are based on evidence of historical presence, or current and likely recurring presence, at a given location. Such evidence minimally includes collection or reliable observation and documentation of one or more individuals (including eggs and larvae) in appropriate habitat.

**Separation Barriers:** Dam lacking a suitable fishway; high waterfall; upland habitat. For some species (e.g., slender chub), an impoundment may constitute a barrier. For others (e.g., flame chub) a stream larger than 4th order may be a barrier.

**Separation Distance for Unsuitable Habitat:** 10 km

**Separation Distance for Suitable Habitat:** 10 km

**Separation Justification:** Data on dispersal and other movements generally are not available. In some species, individuals may migrate variable distances between spawning areas and nonspawning habitats.

Separation distances (in aquatic kilometers) for cyprinids are arbitrary but reflect the presumption that movements and appropriate separation distances generally should increase with fish size. Hence small, medium, and large cyprinids, respectively, have increasingly large separation distances. Separation distance reflects the likely low probability that two occupied locations separated by less than several kilometers of aquatic habitat would represent truly independent populations over the long term.

Because of the difficulty in defining suitable versus unsuitable habitat, especially with respect to dispersal, and to simplify the delineation of occurrences, a single separation distance is used regardless of habitat quality.

Occupied locations that are separated by a gap of 10 km or more of any aquatic habitat that is not known to be occupied represent different occurrences. However, it is important to evaluate seasonal changes in habitat to ensure that an occupied habitat occurrence for a particular population does not artificially separate spawning areas and nonspawning areas as different occurrences simply because there have been no collections/observations in an intervening area that may exceed the separation distance.

**Date:** 21Sep2004**Author:** Hammerson, G.

---

**Population/Occurrence Viability**

---

---

**Authors/Contributors****NatureServe Conservation Status Factors Edition Date:** 17Sep1996**NatureServe Conservation Status Factors Author:** Cannings, S. G., and G. Hammerson**Element Ecology & Life History Edition Date:** 14Sep1993**Element Ecology & Life History Author(s):** Hammerson, G.

Zoological data developed by NatureServe and its network of natural heritage programs (see [Local Programs](#)) and other contributors and cooperators (see [Sources](#)).

---

**References**

- ALLEN, CRAIG R., STEPHEN DEMARAIS, AND R. SCOTT LUTZ. 1994. RED IMPORTED FIRE ANT IMPACT ON WILDLIFE: AN OVERVIEW. TEXAS J. SCI. 46(1):51-59.
- ANDERSON, ALLISON A., CLARK HUBBS, KIRK O. WINEMILLER, AND ROBERT J. EDWARDS. 1995. TEXAS FRESHWATER FISH ASSEMBLAGES FOLLOWING THREE DECADES OF ENVIRONMENTAL CHANGE. SOUTHWEST. NAT. 40(3):314-321.
- Atton, F.M. and J.J. Merkowsky. 1983. Atlas of Saskatchewan Fish. Saskatchewan Department of Parks and Renewable Resources, Fisheries Branch Technical Report 83-2. 281pp.
- Becker, G. C. 1983. Fishes of Wisconsin. Univ. Wisconsin Press, Madison. 1052 pp.
- Douglas, Neil H. 1974. Freshwater fishes of Louisiana. Claitor's publ. div. Baton Rouge, Louisiana. 443 pp.
- Etnier, David A. and Wayne C. Starnes. 1993. The Fishes of Tennessee. University of Tennessee Press, Knoxville. 681 pp.
- Fisheries Branch. 1991. Fish Species Distributions in Saskatchewan. Report 91-7. Saskatchewan Parks and Renewable Resources, Fisheries Branch. Regina. 102pp.
- GEORGE, C.J. 1980. THE FISHES OF THE ADIRONDACK PARK. NYS DEPT. ENVIRON. CONSERV. ALBANY, NY 94 PP.
- Hanson, Mark A. 1992-1993. Baitfish Effects on Wetland Invertebrate Communities. Funded by the MN DNR, Section of Wildlife, Nongame Research Program. Results in unpublished report.
- Hoover, E.E. (ED.) 1938. Biological Survey of the Merrimack Watershed. Survey Report No.3. New Hampshire Fish and Game Department., Concord. 238 pp.
- Huffaker, Steve. 1971. Upper West Fork of the Whitewater River Stream Survey Report; Wayne, Randolph, Rush, Henry, Fayette Counties. Indiana Department of Natural Resources, Division of Fish and Wildlife. 28 pp.
- Isaak, D. 1961. The ecological life history of the fathead minnow, PIMEPHALES PROMELAS (Rafinesque). Diss. Abstr. 22 (6):2113-2114.
- La Rivers, I. 1994. Fishes and fisheries of Nevada. University of Nevada Press, Reno. 782 pp.
- Lee, D. S., C. R. Gilbert, C. H. Hocutt, R. E. Jenkins, D. E. McAllister, and J. R. Stauffer, Jr. 1980. Atlas of North American Freshwater Fishes. North Carolina State Museum of Natural History. 867 pp.
- Li, Y., and J. R. Gold. 1991. Cytogenetic studies in North American minnows (Cyprinidae): XXII. Chromosomal nucleolar organizer regions in the genus PIMEPHALES. Can. J. Zool. 69:2826-2830.
- Markus, H. C. 1934. Life history of the blackhead minnow, PIMEPHALES PROMELAS. Copeia 1934(3):116-122.
- Metcalfe, C. D. 1989. Tests for predicting carcinogenicity in fish. Reviews in Aquatic Sciences 1 (1):111-129.
- PYRON, MARK AND THOMAS L. BEITINGER. 1993. TEMPERATURE TOLERANCE AFTER SPAWNING IN FEMALE AND MALE FATHEAD MINNOWS, PIMEPHALES PROMELAS. TEXAS J. SCI. 45(4):319-323.
- Page, L. M., and B. M. Burr. 1991. A field guide to freshwater fishes: North America north of Mexico. Houghton Mifflin Company, Boston, Massachusetts. 432 pp.
- Platania, S.P. 1990. Biological summary of the 1987 to 1989 New Mexico-Utah ichthyofaunal study of the San Juan River. Prepared by Department of Biology, University of New Mexico, Albuquerque, for New Mexico Department of Game and Fish, Santa Fe, under contract 78-516.6-01, and U.S. Bureau of Reclamation, Salt Lake City, UT, under cooperative agreement 7-FC-40-05060.
- Platania, S.P. and K.R. Bestgen. 1988. Study of the rare and endangered fishes of the San Juan River, New Mexico: 1988 report of activity. Prepared by Department of Biology, University of New Mexico, Albuquerque, for New Mexico Department of

Game and Fish, Santa Fe, under contract 516.6-74-23 and U.S. Bureau of Reclamation, Salt Lake City, UT, under cooperative agreement 7-FC-40-05060.

- ROSS, STEPHEN T. 1996. INLAND FISHES OF MISSISSIPPI. SELECTED SPECIES ACCOUNTS. COAUTHORED WITH W. M. BRENNEMAM, W.T. SLACK, M.T. O'CONNELL, AND T.L. PETERSON. ILLUSTRATED BY D.G. ROSS. DRAFT COPY.
- Roberts, B. and M. Moretti. 1989. Fisheries survey of the San Juan River, Utah, 1988. Final. Prepared by Utah Division of Wildlife Resources, Salt Lake City, UT, under U.S. Bureau of Reclamation Cooperative Agreement 7-FC-40-05050.
- Robins, C. R., et al. 1991. Common and scientific names of fishes from the United States and Canada. American Fisheries Society, Special Publishing 20. 183 pp.
- Ryden, D.W. and F.K. Pfeifer. 1993. Adult fish collections on the San Juan River (1991-1992): draft annual progress report, March 15, 1993. Submitted to U.S. Fish & Wildlife Service, Grand Junction, CO.
- Ryden, D.W. and F.K. Pfeifer. 1994. Adult fish community monitoring on the San Juan River: 1993 annual progress report. Draft. Colorado River Fishery Project, U.S. Fish and Wildlife Service, Grand Junction, CO.
- SCHMIDT, TIMOTHY R., THOMAS E. DOWLING, AND JOHN R. GOLD. 1994. MOLECULAR SYSTEMATICS OF THE GENUS PIMEPHALES (TELEOSTEI: CYPRINIDAE). SOUTHWEST. NAT. 39(3):241-248.
- Saskatchewan Environment and Resource Management. 1996. The Fisheries Regulations being Chapter F-16.1 Reg 1 (effective 9 May 1995) as ammended by Saskatchewan Regulations 13/96.
- Scarola, J.F. 1973. Freshwater Fishes of New Hampshire. New Hampshire Fish and Game Department. 131 pp.
- Scott, W. B., and E. J. Crossman. 1973. Freshwater fishes of Canada. Fisheries Res. Bd. Canada, Bull. 184. 966 pp.
- Scott, W.B. and E.J. Crossman. 1979. Freshwater Fishes of Canada. Fisheries Research Board of Canada, Ottawa. 966 pp.
- Scott, W.B. and E.J. Crossman. 1979. Freshwater Fishes of Canada. Fisheries Research Board of Canada. Bull. 84. 966pp.
- Simpson, J., and R. Wallace. 1982. Fishes of Idaho. University Press of Idaho, Moscow. 238 pp.
- Smith, C.L. 1985. The Inland Fishes of New York State. New York State Department of Environmental Conservation. Albany, NY. 522pp.
- Smith, R.J.F., and A. Lamb. 1976. Fathead minnows (PIMEPHALES PROMELAS Rafinesque) in northeastern British Columbia. Can. Field-Nat. 90:188.
- Sublette, J. E., M. D Hatch, and M. Sublette. 1990. The fishes of New Mexico. University New Mexico Press, Albuquerque, New Mexico. 393 pp.
- WERNER, R.G. 1980. FRESHWATER FISHES OF NEW YORK STATE. N.Y.: SYRACUSE UNIV. PRESS. 186 PP.
- Woodling, J. 1985. Colorado's Little Fish: A Guide to the Minnows and Other Lesser Known Fishes in the State of Colorado. Colorado Division of Wildlife, Denver.

#### **The Small Print: Trademark, Copyright, Citation Guidelines, Restrictions on Use, and Information Disclaimer.**

**Note:** Data presented in NatureServe Explorer at <http://www.natureserve.org/explorer> were updated to be current with NatureServe's central databases as of **February 2005**.

**Note:** This report was printed on **May 18, 2005** .

**Trademark Notice:** "NatureServe", NatureServe, NatureServe Explorer, The NatureServe logo, and all other names of NatureServe programs referenced herein are trademarks of NatureServe. Any other product or company names mentioned herein are the trademarks of their respective owners.

**Copyright Notice:** Copyright © 2005 NatureServe, 1101 Wilson Boulevard, 15th Floor, Arlington Virginia 22209, U.S.A. All Rights Reserved. Each document delivered from this server or web site may contain other proprietary notices and copyright information relating to that document. The following citation should be used in any published materials which reference the web site.

#### **Citation for data on website including Watershed and State Distribution maps:**

NatureServe. 2005. NatureServe Explorer: An online encyclopedia of life [web application]. Version 4.4. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>. (Accessed: May 18, 2005 ).

#### **Citation for Bird Range Maps of North America:**

Ridgely, R.S., T.F. Allnutt, T. Brooks, D.K. McNicol, D.W. Mehlman, B.E. Young, and J.R. Zook. 2003. Digital Distribution Maps of the Birds of the Western Hemisphere, version 1.0. NatureServe, Arlington, Virginia, USA.

#### **Acknowledgement Statement for Bird Range Maps of North America:**

"Data provided by NatureServe in collaboration with Robert Ridgely, James Zook, The Nature

Conservancy - Migratory Bird Program, Conservation International - CABS, World Wildlife Fund - US, and Environment Canada - WILDSPACE."

**Citation for Mammal Range Maps of North America:**

Patterson, B.D., G. Ceballos, W. Sechrest, M.F. Tognelli, T. Brooks, L. Luna, P. Ortega, I. Salazar, and B. E. Young. 2003. Digital Distribution Maps of the Mammals of the Western Hemisphere, version 1.0. NatureServe, Arlington, Virginia, USA.

**Acknowledgement Statement for Mammal Range Maps of North America:**

"Data provided by NatureServe in collaboration with Bruce Patterson, Wes Sechrest, Marcelo Tognelli, Gerardo Ceballos, The Nature Conservancy-Migratory Bird Program, Conservation International-CABS, World Wildlife Fund-US, and Environment Canada-WILDSPACE."

NOTE: Full metadata for the Bird Range Maps of North America is available at:

<http://www.natureserve.org/library/birdDistributionmapsmetadatav1.pdf>.

Full metadata for the Mammal Range Maps of North America is available at:

<http://www.natureserve.org/library/mammalsDistributionmetadatav1.pdf>.

**Restrictions on Use:** Permission to use, copy and distribute documents delivered from this server is hereby granted under the following conditions:

1. The above copyright notice must appear in all copies;
2. Any use of the documents available from this server must be for informational purposes only and in no instance for commercial purposes;
3. Some data may be downloaded to files and altered in format for analytical purposes, however the data should still be referenced using the citation above;
4. No graphics available from this server can be used, copied or distributed separate from the accompanying text. Any rights not expressly granted herein are reserved by NatureServe. Nothing contained herein shall be construed as conferring by implication, estoppel, or otherwise any license or right under any trademark of NatureServe. No trademark owned by NatureServe may be used in advertising or promotion pertaining to the distribution of documents delivered from this server without specific advance permission from NatureServe. Except as expressly provided above, nothing contained herein shall be construed as conferring any license or right under any NatureServe copyright.

**Information Warranty Disclaimer:** All documents and related graphics provided by this server and any other documents which are referenced by or linked to this server are provided "as is" without warranty as to the currentness, completeness, or accuracy of any specific data. NatureServe hereby disclaims all warranties and conditions with regard to any documents provided by this server or any other documents which are referenced by or linked to this server, including but not limited to all implied warranties and conditions of merchantability, fitness for a particular purpose, and non-infringement. NatureServe makes no representations about the suitability of the information delivered from this server or any other documents that are referenced to or linked to this server. In no event shall NatureServe be liable for any special, indirect, incidental, consequential damages, or for damages of any kind arising out of or in connection with the use or performance of information contained in any documents provided by this server or in any other documents which are referenced by or linked to this server, under any theory of liability used. NatureServe may update or make changes to the documents provided by this server at any time without notice; however, NatureServe makes no commitment to update the information contained herein. Since the data in the central databases are continually being updated, it is advisable to refresh data retrieved at least once a year after its receipt. The data provided is for planning, assessment, and informational purposes. Site specific projects or activities should be reviewed for potential environmental impacts with appropriate regulatory agencies. If ground-disturbing activities are proposed on a site, the appropriate state natural heritage program(s) or conservation data center can be contacted for a site-specific review of the project area (see [Visit Local Programs](#)).

**Feedback Request:** NatureServe encourages users to let us know of any errors or significant omissions that you find in the data through (see [Contact Us](#)). Your comments will be very valuable in improving the overall quality of our databases for the benefit of all users.

